

# **Asthma Policy**

Date: 10 September 2024

Review: 10 September 2025



## Help for non-English speakers

If you need help to understand the information in this policy please contact Strathtulloh Primary School office on 8560 4600 to utilise an interpreter service.

#### **PURPOSE**

To ensure that Strathtulloh Primary School appropriately supports students diagnosed with asthma.

## **OBJECTIVE**

To explain to Strathtulloh Primary School parents/carers, staff and students the processes and procedures in place to support students diagnosed with asthma.

### **SCOPE**

This policy applies to:

- all staff, including casual relief staff, contractors and volunteers
- all students who have been diagnosed with asthma or who may require emergency treatment for asthma and their parents/carers.

## **POLICY**

## **Asthma**

Asthma is a long term lung condition. People with asthma have sensitive airways in their lungs which react to triggers, causing a 'flare-up'. In a flare-up, the muscles around the airway squeeze tight, the airways swell and become narrow and there is more mucus. This makes it hard to breathe. An asthma flare-up can come on slowly (over hours, days or even weeks) or very quickly (over minutes). A sudden or severe asthma flare-up is sometimes called an asthma attack.

#### **Symptoms**

Symptoms of asthma can vary over time and often vary from person to person. The most common asthma symptoms are:

breathlessness



- wheezing (a whistling noise from the chest)
- tight feeling in the chest
- persistent cough

Symptoms often occur at night, early in the morning or during/just after physical activity. If asthma is well controlled, a person should only have occasional asthma symptoms.

## **Triggers**

A trigger is something that sets off or starts asthma symptoms. Everyone with asthma has different triggers. For most people with asthma, triggers are only a problem when asthma is not well controlled with medication. Common asthma triggers include:

- exercise
- smoke (cigarette smoke, wood smoke from open fires, burn-offs or bushfires)
- house dust mites
- pollens
- chemicals such as household cleaning products
- food chemicals/additives
- laughter or emotions, such as stress

- colds/flu
- weather changes such as thunderstorms and cold, dry air
- moulds
- animals such as cats and dogs
- deodorants (including perfumes, after-shaves, hair spray and aerosol deodorant sprays)
- certain medications (including aspirin and anti-inflammatories)

# **Asthma management**

If a student diagnosed with asthma enrols at Strathtulloh Primary School:

1. Parents/carers must provide the school with an Asthma Action Plan which has been completed by the student's medical practitioner. The plan must outline:



- the prescribed medication taken by the student and when it is to be administered, for example as a pre-medication to exercise or on a regular basis
- emergency contact details
- the contact details of the student's medical practitioner
- the student's known triggers
- the emergency procedures to be taken in the event of an asthma flare-up or attack.
- 2. Parents/carers should also provide a photo of the student to be included as part of the student's Asthma Action Plan.
- 3. Strathtulloh Primary School will keep all Asthma Action Plans:
  - In the First Aid room.
- 4. School staff may also work with parents/carers to develop a Student Health Support Plan which will include details on:
  - how the school will provide support for the student
  - identify specific strategies
  - allocate staff to assist the student.

# Any Student Health Support Plan will be developed in accordance with Strathtulloh Primary School's Health Care Needs Policy.

- 5. If a student diagnosed with asthma is going to attend a school camp or excursion, Strathtulloh Primary School parents/carers are required to provide any updated medical information.
- 6. If a student's asthma condition or treatment requirements change, parent/carers must notify the school and provide an updated Asthma Action Plan.
- 7. School staff will work with parents/carers to review Asthma Action Plans (and Student Health Support Plans) once a year.

#### Student asthma kit

All students diagnosed with asthma are required to have a student asthma kit at school which contains:

- their own prescribed reliever medication labelled with the student's name
- their spacer
- Asthma Action Plan



Student asthma kits will be stored in the sick bay.

# Asthma emergency response plan

## If a student is:

- having an asthma attack
- difficulty breathing for an unknown cause, even if they are not known to have asthma

School staff will endeavour to follow the Asthma First Aid procedures outlined in the table below. School staff may contact Triple Zero "000" at any time.

Step	Action					
1.	Sit the person upright					
	Be calm and reassuring					
	Do not leave them alone					
	<ul> <li>Seek assistance from another staff member or reliable student to</li> </ul>					
	locate the student's reliever, the Asthma Emergency Kit and the					
	student's Asthma Action Plan (if available).					
	If the student's action plan is not immediately available, use the					
	Asthma First Aid as described in Steps 2 to 5.					
2.	Give 4 separate puffs of blue or blue/grey reliever puffer:					
	Shake the puffer					
	Use a spacer if you have one					
	Put 1 puff into the spacer					
	Take 4 breaths from the spacer					
	Remember – Shake, 1 puff, 4 breaths					
3.	Wait 4 minutes					
	<ul> <li>If there is no improvement, give 4 more separate puffs of</li> </ul>					
	blue/grey reliever as above					
	(or give 1 more dose of Bricanyl or Symbiocort inhaler)					
4.	If there is still no improvement call Triple Zero "000" and ask for an					
	ambulance.					
	Tell the operator the student is having an asthma attack					
	<ul> <li>Keep giving 4 separate puffs every 4 minutes until emergency assistance arrives</li> </ul>					



Γ		(or 1 dose of Bricanyl or Symbicort every 4 minutes – up to 3 doses of
		Symbicort)
Γ	5.	If asthma is relieved after administering Asthma First Aid, stop the
treatment and observe the student. Notify the student's em		treatment and observe the student. Notify the student's emergency
contact person and record the incident		

Staff will call Triple Zero "000" immediately if:

- the person is not breathing
- if the person's asthma suddenly becomes worse or is not improving
- if the person is having an asthma attack and a reliever is not available
- if they are not sure if it is asthma
- if the person is known to have anaphylaxis

# **Training for staff**

Strathtulloh Primary School will arrange the following asthma management training for staff:

Staff	Completed by	Course	Provider	Cost	Valid for
Group 1	School staff with a	Asthma first aid	Asthma	Free to all	3 years
General	direct teaching role	management	Australia	schools	
Staff		staff (non-accredite d)			
Group 2	Staff working with high	Course in	Any RTO that	Paid by	3 years
Specific	risk children with a	Asthma	has this course	Strathtulloh	
Staff	history of severe	Awareness	in their scope of	Primary	
	asthma, or with direct	<i>10760NAT</i> (accredited)	practice	School	
	student wellbeing responsibility,	(accreaitea)			
	(including nurses,				
	PE/sport teachers, first				
	aid and school staff				
	attending camp)				



Strathtulloh Primary School will also conduct an annual briefing for staff on:

- the procedures outlined in this policy
- the causes, symptoms and treatment of asthma
- identities of the students diagnosed with asthma
- how to use a puffer and spacer
- the location of:
  - o the Asthma Emergency Kits
  - o asthma medication which has been provided by parents for student use.

Strathtulloh Primary School will also provide this policy to casual relief staff and volunteers who will be working with students and may also provide a briefing if the Principal decides it is necessary depending on the nature of the work being performed.

## **Asthma Emergency Kit**

Strathtulloh Primary School will provide and maintain at least two Asthma Emergency Kits. One kit will be kept on school premises at the sick bay, and one will be a mobile kit for activities such as:

- yard duty
- camps and excursions.

Strathtulloh Primary School will have an additional kit for every 300 students. These will be stored in the sick bay.

The Asthma Emergency Kit will contain:

- at least 1 blue or blue/grey reliever medication such as Airomir, Admol or Ventolin
- at least 2 spacer devices (for single person use only) to assist with effective inhalation
  of the blue or blue/grey reliever medication (Strathtulloh Primary School will ensure
  spare spacers are available as replacements). Spacers will be stored in a dust proof
  container.
- clear written instructions on Asthma First Aid, including:
  - o how to use the medication and spacer devices
  - o steps to be taken in treating an asthma attack
- a record sheet/log for recording the details of an asthma first aid incident, such as the number of puffs administered.

The school nurse will monitor and maintain the Asthma Emergency Kits. They will:



- ensure all contents are maintained and replaced where necessary
- regularly check the expiry date on the canisters of the blue or blue/grey reliever puffers and place them if they have expired or a low on doses
- replace spacers in the Kits after each use (spacers are single-person use only)
- dispose of any previously used spaces.

The blue or blue/grey reliever medication in the Asthma Emergency Kits may be used by more than one student as long as they are used with a spacer. If the devices come into contact with someone's mouth, they will not be used again and will be replaced.

After each use of a blue or blue/grey reliever (with a spacer):

- remove the metal canister from the puffer (do not wash the canister)
- wash the plastic casing
- rinse the mouthpiece through the top and bottom under running water for at least 30 seconds
- wash the mouthpiece cover
- air dry then reassemble
- test the puffer to make sure no water remains in it, then return to the Asthma Emergency Kit.

# Management of confidential medical information

Confidential medical information provided to Strathtulloh Primary School to support a student diagnosed with asthma will be:

- recorded on the student's file
- shared with all relevant staff so that they are able to properly support students diagnosed with asthma and respond appropriately if necessary.

## **Communication plan**

This policy will be available on Strathtulloh Primary School's website so that parents and other members of the school community can easily access information about Strathtulloh Primary School's asthma management procedures.



## **Epidemic Thunderstorm Asthma**

Strathtulloh Primary School will be prepared to act on the warnings and advice from the Department of Education and Training when the risk of epidemic thunderstorm asthma is forecast as high.

## COMMUNICATION

This policy will be communicated to our school community in the following ways:

- available publicly on our school's website
- · included in staff induction processes and staff training
- included in staff information portal
- discussed at staff briefings/meetings as required
- discussed at parent information nights/sessions
- available on "The Pulse"
- hard copy available from the front office upon request.

#### **FURTHER INFORMATION AND RESOURCES**

- Asthma Australia: Resources for schools
- Policy and Advisory Library:
  - o Asthma
  - o Treating an asthma attack
- Administration of Medication Policy
- First Aid Policy
- Health Care Needs Policy
- Medication Administration Log
- Medication Authority Form

## **POLICY REVIEW AND APPROVAL**

Policy last reviewed	10/09/2024
Approved by	Principal
Next scheduled review	10/09/2025
date	